

Technical drawing of a roof construction detail, showing a cross-section and a plan view.


Cross-section (top): Shows a sloped roof structure. The layers are labeled 1 through 9. The structure includes a waterproofing layer (1), insulation (2), and a structural layer (3). The drawing shows the connection between the roof and a vertical wall, with a waterproofing layer (4) and insulation (5) on the wall side. The roof slope is indicated by a dashed line.

Plan view (bottom): Shows a grid of insulation units (4) and a waterproofing layer (5). The units are labeled 1 through 9. The drawing shows the connection between the roof and a vertical wall, with a waterproofing layer (4) and insulation (5) on the wall side. The roof slope is indicated by a dashed line.


Dimensions: The drawing includes dimensions $l=400$ and $b=400$, indicating the length and width of the units.

[illegible]

	MATERIAŁ	ZUŻYCIĘ
1	Plyta gipsowo-kartonowa RIGIPS PRO (4PRO) Fire+ typ DF gr. 2x15mm	2,00 m ²
2	Profil Riggins C RIGISTIL	3,20 m
3	Profil Riggins U RIGISTIL	0,40 m
4	Wieszak RIGISTIL do konstrukcji drewnianej o dt. 80 lub 170 mm lub CLIPLANE o dt. 300 mm	4,00 szt
5	Łącznik wzdużny Riggins GL3 do profili C RIGISTIL	0,60 szt
6	Wkręt Riggins T1N 25 co 400mm	10,00 szt
7	Wkręt Riggins T1N 45 co 150mm	25,00 szt
8	Wkręt do drewna (mocowanie wieszaków)	8,00 szt
9	Tasma uszczelniająca plankowa Riggins szer. 30mm	0,40 m
10	Tasma szpachlowa konstrukcyjna RIGIPS- VARIO, Premium Light, Q1 Zaczyna, SUPER	
11	Tasma szpachlowa Riggins	1,40 m
12	Masa szpachlowa wykończeniowa RIGIPS- Premium Light, Profilix Finish Plus, Q2-Q3 Kończy, GOTOWA Q2-Q3 Kończy lub SUPER	0,10 kg
13	Materia mineralna szklana lub skalna np. ISOVER: Super-Mata, Super-Mata Plus, Profil-Mata, Uni-Mata lub Uni-Mata Plus	1,00 m ²
14	Paroizolacja np. ISOVER: Vario® XtraSafe, Vario® KM Duplex UV lub Stopair 1104	1,00 m ²



Połączenie ze ścianą



Saint-Gobain Construction Products Polska Sp. z o.o.
Biuro RI(G)PS w Warszawie
ul. Cybempska 9, 02-677 Warszawa
Biuro Doradztwa Technicznego: 800 163 121
E-mail: doradcy.techniczni@saint-gobain.com
ri(g)ps.pl
BDO 000006702

System poddasza Rigips 4.70.07 (REI 60)

Lokalizacja:

Skala:
1:8

Nr detalju:

Opracował: